# FIBER OPTIC SPLITTER CLOSURE

AR-SC9P-960F-AM

FEATURES

- The closure adopts mechanical sealing structure. There is one oval shaped cable port entrances in base. The oval entrance is used for the sealing of uncut straight-through fiber cable, the small ports are used for branch fiber cable and drop cable.
- To adopt engineering PP plastic with high-strength to make the closure has longer life time and excellent sealing performance.
- It can be installed more splitter trays and 1:8 Blockless or bare PLC Splitters.
- There are different drop cable elements to be chosen (Φ5- Φ9). Max. 32 pcs drop cable input/output (special type can be customized).
- The patented sealing structure keep good sealing performance after re-entry and re-using.
- It could save the installation time and improve work efficiently.

APPLICATIONS

- Suitable for bunchy fibers.
- Aerial, underground, wall-mounting, hand hole-mounting and duct-mounting.
- It's especially applicable to FTTH optical fiber distribution.

STRUCTURAL DRAWING

590

Ø 281

Ø 281

313

Φ8- Φ22mm

Φ8- Φ23mm

9 ports

ORDERING INFORMATION

1. Optical Splice Trays


SPLICE TRAY A
134X115X8MM

SPLICE TRAY B
134X115X4MM

SPLICE TRAY C
134X115X4MM

SPLICE TRAY D
134X115X8MM

Type	Splice Tray Capacity	Splitter type	NO. Adaptor	Max. CApacity
AR-SC9P-960F-AM I (Bunchy)	40 pcs (6 -12f per tray)	Blockless 1:4 /1:8	None	480 F
AR-SC9P-960F-AM II (Bunchy)	80 pcs (6 -12f per tray)	None	None	960 F
AR-SC9P-960F-AM III (Bunchy)	20 pcs (6 -12f per tray)	Blockless 1:4 /1:8	48 pcs	240 F

ACCESSORIES

1. Standard Accessories

No.	Name	Quantity	
1	Seal tape	1 roll	
2	Insulation tape	1 pc	
3	Abrasive cloth	1 pc	
4	Heat shrinkable protective sleeve	1 bag	
5	Nylon tie	1 set	
6	Desiccant	2 bags	
7	Special wrench	3 pcs	
8	Hose clamp I	10 pcs	
9	Hose clamp II	2 pcs	

Optional Accessories

No.	Name	Quantity	
1	Pressure testing valve	1 pc	

No.	Name	Quantity	
2	Earthing deriving device	1 pc	
3	Buffer tube for bunchy fiber	1 roll	
4	Pigtail	-	
5	Pole mounting	1 set	
6	Aerial mounting	1 set	
7	Wall mounting	1 set	